



Create  
lightfull  
happiness

**12**  
volt

Plug  
& play

**5**  
years  
warranty

**Garden  
Lights**

Collection 2026

# Enjoy special moments

Garden lights has a wide range of 12-Volt outdoor lighting. Gather inspiration from our brochure, social media channels and visit our stockists.



Scan the QR-code and find Garden Lights in your favorite store.

# Advantages 12 volt system


- Very easy to install yourself
- It is not necessary to bury cables
- Safe for people and animals
- Easy to expand

# Easy installation

1. Choose your lighting
2. Transformer
3. Choose the cable



Scan the QR code for all installation videos or go to [www.youtube.com/GardenLights](http://www.youtube.com/GardenLights).



# Decklights



**Acis (4140601)**  
Warm white  
0,2 W / 5 lumen  
Stainless steel 304  
20 x 40 mm (H x Ø)  
Drillhole 30 mm



**Astrum (3029601)**  
White  
0,3 W / 1 lumen  
Stainless steel  
28 x 40 mm (H x Ø)  
Drillhole 30 mm



**Astrum (3037601)**  
Blue  
0,3 W / 1 lumen  
Stainless steel  
28 x 40 mm (H x Ø)  
Drillhole 30 mm



**Birch (4057601)**  
Warm white  
0,5 W / 5 lumen  
Stainless steel 304  
45 x 40 mm (H x Ø)  
Drillhole 30 mm



**Alpha (4048601)**  
Warm white  
0,5 W / 5 lumen  
Stainless steel 316  
46 x 42 mm (H x W x D)  
Drillhole 30 mm



**Alpha (4112601)**  
White  
0,5 W / 5 lumen  
Stainless steel 316  
46 x 42 mm (H x Ø)  
Drillhole 30 mm



**Larch (4058601)**  
Warm white  
1 W / 15 lumen  
Stainless steel 304  
52 x 70 mm (H x Ø)  
Drillhole 60 mm



**Sirius (4039601)**  
Warm white  
1 W / 20 lumen  
Stainless steel 316  
52 x 70 mm (H x Ø)  
Drillhole 60 mm



**Brevus (2520601)**  
White  
1 W / 20 lumen  
Stainless steel 304  
52 x 70 mm (H x Ø)  
Drillhole 60 mm



**Atria (4077601)**  
Warm white  
0,5 W / 5 lumen  
Stainless steel 316  
45 x 42 x 42 mm (H x W x D)  
Drillhole 30 mm



**Leda (4040601)**  
Warm white  
1 W / 20 lumen  
Stainless steel 316  
52 x 70 x 70 mm (H x W x D)  
Drillhole 60 mm

# Post lights



**Linum** (2519061)  
Warm white  
2 W / 65 lumen  
Synthetic - Anthracite  
160 x 60 mm (H x Ø)



**Zuma** (2619011)  
Warm white  
1 W / 160 lumen  
Synthetic - Black  
310 x 81 mm (H x Ø)



**Arco 40** (3161011)  
Warm white  
2,3 W / 215 lumen  
Aluminium - Black  
408 x 65 mm (H x Ø)



**Ceto** (3213011)  
Warm white  
2 W / 100 lumen  
Aluminium - Black  
440 x 190 mm (H x Ø)



**Rune** (4147011)  
Warm white  
1,8 W / 150 lumen  
Metal - Black  
555 x 80 x 127 mm (H x W x D)



**Lunia** (4138601)  
Warm white / White  
1 W / 60 lumen  
Stainless steel 304  
440 x 60 mm (H x Ø)



**Lunia Black** (4150011)  
Warm white / White  
1 W / 60 lumen  
Stainless steel 304 - Black  
440 x 60 mm (H x Ø)



**Silia** (4139601)  
Warm white / White  
1 W / 70 lumen  
Stainless steel 304  
600 x 60 mm (H x Ø)



**Atila** (4025601)  
Warm white  
1,5 W / 120 lumen  
Stainless steel 304  
610 x 60 mm (H x Ø)



**Reno** (3218011)  
Warm white  
6 W / 487 lumen  
Aluminium - Black  
600 x 95 x 150 mm (H x W x D)



**Deva** (3590461)  
Warm white / White  
1,8 W / 150 lumen  
Synthetic - Gray  
457 x 105 x 105 mm (H x W x D)



**Atera** (3591461)  
Warm white / White  
1,8 W / 150 lumen  
Synthetic - Gray  
617 x 105 x 105 mm (H x W x D)



**Kolossos** (3544461)  
White  
1,5 W / 50 lumen  
Polyresin/Glass - Anthracite  
600 x 105 x 105 mm (H x W x D)



**Limosa 70** (3190011)  
Warm white  
Filament 4 W / 98 lumen  
Aluminium - Black  
680 x 120 x 120 mm (H x W x D)



**Dax** (3210011)  
Warm white  
1,8 W / 120 lumen  
Aluminium - Black  
780 x 160 x 160 mm (H x W x D)

# Decorative lights



**Partylights Filament** (2612061)  
Warm white  
8 W / 30 lumen (per bulb)  
Synthetic - Black  
5 m (10 bulbs)



**Partylights** (2607061)  
Warm white  
8 W / 23 lumen (per bulb)  
Synthetic - Black  
10 m (10 bulbs)



**Linea All Seasons** (7523010)  
Warm white  
4,5 W / 1,3 lumen (per LED)  
Synthetic - Black  
10 m (100 LED's)



**Myco** (3231011)  
Warm white  
5 W / 390 lumen  
Aluminium - Black  
450 x 120 mm (H x Ø)



Adjustable reflector

**Rubum** (3159011)  
Warm white  
3,5 W / 280 lumen  
Aluminium - Black  
110 x 155 mm (H x Ø)  
Including ground tube  
Drillhole 120 mm

# Uplight

# Spotlights



**Minus** (3096121)  
Warm white  
2 W / 90 lumen  
Aluminium - Silver gray  
70 x 35 x 90 mm (H x W x D)



**Jona Small** (3224011)  
Warm white  
2,7 W / 250 lumen  
Aluminium - Black  
120 x 45 x 93 mm (H x W x D)



**Jona** (3225011)  
Warm white  
3,4 W / 320 lumen  
Aluminium - Black  
180 x 77 x 156 mm (H x W x D)

**Jona Tube** (3226011)  
Simply attach the Jona spotlight  
to the Jona Tube.



**Alder** (2580061)  
Warm white  
1,8 W / 120 lumen  
Synthetic - Anthracite  
135 x 40 x 95 mm (H x W x D)



**Arcus** (3164011)  
Warm white  
5 W / 218 lumen  
Aluminium - Black  
145 x 63 x 115 mm (H x W x D)



**Ilva** (4148011)  
Warm white  
1,8 W / 150 lumen  
Metal - Black  
90 x 80 x 130 mm (H x W x D)



**Lovi** (4149011)  
Warm white  
1,8 W / 189 lumen  
Metal - Black  
122 x 75 x 58 mm (H x W x D)



**Nano** (3169191)  
Warm white  
1,8 W / 137 lumen  
Aluminium - Gray  
90 x 70 x 65 mm (H x W x D)



**Cylon** (3578501)  
Warm white  
2,6 W / 150 lumen  
Polyresin - Black  
100 x 100 x 100 mm (H x W x D)



**Raf** (3211011)  
Warm white  
1,8 W / 150 lumen  
Aluminium - Black  
139 x 105 x 95 mm (H x W x D)



**Neso** (2606061)  
Warm white  
2 W / 172 lumen  
Polypropylene - Black  
220 x 38 x 70 mm (H x W x D)  
Also as a set! **2606063**



**Catalpa** (4121601)  
Warm white  
2,6 W / 195 lumen  
Stainless steel 304  
125 x 80 x 80 mm (H x W x D)



**Arigo** (4116601)  
Warm white  
2,6 W / 195 lumen  
Stainless steel 304  
IP68  
125 x 90 x 68 mm (H x W x D)



**Lapis** (3577441)  
Warm white  
2,6 W / 235 lumen  
Polyresin - Gray  
IP68  
110 x 145 x 90 mm (H x W x D)



**Protego** (4118601)  
Warm white  
5 W / 260 lumen  
Stainless steel 304  
IP68  
140 x 100 x 120 mm (H x W x D)



**Corvus** (3215011)  
Warm white  
5 W / 385 lumen  
Aluminium - Black  
190 x 85 x 130 mm (H x W x D)



**Flood 12** (9508011)  
Warm white  
12 W / 768 lumen  
Aluminium - Black  
150 x 154 x 45 mm (H x W x D)

# Complete Sets



**Neso Set** (2606063)  
Warm white  
2 W / 172 lumen  
Polypropylene - Black  
220 x 38 x 70 mm (H x W x D)

Our sets come with  
8 meters of cable and a  
12 Watt transformer.



**Novu Set** (4142603)  
Warm white  
1 W / 35 lumen  
Stainless steel - Silver gray  
310 x 60 mm (H x Ø)



**Jard Set** (4141603)  
Warm white  
1,8 W / 165 lumen  
Stainless steel - Silver gray  
75 x 70 x 60 mm (H x W x D)



**Xiro Set** (2611013)  
Warm white  
1,8 W / 161 lumen  
Synthetic - Black  
230 x 50 x 95 mm (H x W x D)



**Bensa Set** (3587403)  
Warm white  
1,8 W / 150 lumen  
Polyresin - Gray  
85 x 100 x 90 mm (H x W x D)


Wall lights



**Palm** (2585061)  
Warm white  
1 W / 10 lumen  
Stainless steel 304  
60 x 100 mm (H x Ø)



**Deimos Black** (3132011)  
Warm white / White  
1 W / 22 lumen  
Aluminium - Black  
80 x 140 mm (H x Ø)



**Deimos Anthracite** (3095011)  
Warm white / White  
1 W / 22 lumen  
Aluminium - Anthracite  
80 x 140 mm (H x Ø)



**Boaz** (3212011)  
Warm white  
1,8 W / 120 lumen  
Aluminium - Black  
107 x 164 x 70 mm (H x W x D)



**Fidas** (2614601)  
Warm white  
1,2 W / 30 lumen  
Stainless steel 316  
60 x 70 mm (H x Ø)  
Drillhole 60 mm



**Sibus** (3184011)  
Warm white  
2 x 4 W / 354 lumen  
Aluminium - Black  
152 x 70 x 92 mm (H x W x D)



**Vara** (2618011)  
Warm white  
2 x 1 W / 128 lumen  
Synthetic - Black  
100 x 75 x 30 mm (H x W x D)



**Goura** (3178011)  
Warm white  
2 x 3 W / 489 lumen  
Aluminium - Black  
100 x 140 x 115 mm (H x W x D)



**Mauri** (3177011)  
Warm white  
2 x 3 W / 489 lumen  
Aluminium - Black  
100 x 100 x 100 mm (H x W x D)



**Sitta** (3186011)  
Warm white  
Filament 4 W / 98 lumen  
Aluminium - Black  
220 x 120 x 120 mm (H x W x D)



**Celata** (3188011)  
Warm white  
Filament 4 W / 98 lumen  
Aluminium - Black  
380 x 120 x 200 mm (H x W x D)



**Columba** (3187011)  
Warm white  
Filament 4 W / 98 lumen  
Aluminium - Black  
450 x 120 x 220 mm (H x W x D)



**Callisto** (3094071)  
Warm white  
1,1 W / 100 lumen  
Aluminium/Glass - Brown  
230 x 120 x 180 mm (H x W x D)



**Gilvus** (3182011)  
Warm white  
4 W / 177 lumen  
Aluminium - Black  
80 x 70 x 92 mm (H x W x D)

Accessories



**Transformers**  
(6270011) EU 24 W  
(6311011) EU 60 W  
(6312011) EU 150 W  
  
(6273011) UK max. 24 W  
(6313011) UK max. 60 W  
(6314011) UK max. 150 W



**Flex connectors**  
(6261011) Female  
(6262011) Male



**Remote Control + Receiver** (6148011)  
**Receiver** (6149011)  
- 9 groups of receivers can be controlled separately with one remote control, per receiver max. 150 W.  
- Range up to approx. 40 metres (in open terrain).  
- Remote control works on radio frequency.  
- Batteries included.




**Flex Main cables\***  
(6259011) 10 meters (SPT-2W 16AWG)  
(6260011) 25 meters (SPT-2W 16AWG)  
(6281011) 50 meters (SPT-2W 16AWG)



**Extension cables**  
(1381011) 0,3 meters (SPT-2W 16AWG)  
(6154011) 2 meters (SPT-1W 18AWG)  
(6005011) 6 meters (SPT-1W 18AWG)  
(6056011) 10 meters (SPT-3W 16AWG)  
(6177011) 2 meters rubber

\* Connector tool included for easy installation



**Dusk to Dawn Sensor + Timer** (6009011)  
- Max. 150 W  
- 1 Meter cable  
- On/off  
- 1-9 hours  
- Uses 1 Watt loading



**Cablesplitter** (6006011)  
Cable splitter  
15 cm SPT-2W 16AWG  
(with 3 connectors)



**Universal ground spike** (1363011)  
The groundspike is the ideal and practical solution to secure the following garden lights:  
• Kolossos  
• Limosa  
- The round plate is Ø 185 mm and the ground spike goes 300 mm in the ground.



**Jona Tube** (3226011)  
The Jona Tube is an accessory for the Jona spotlight. Simply attach the Jona spotlight to the tube. Place the tube with ground spike in your garden to direct lighting from above or aim the spotlights at taller plants.

# Make your garden SMART with Garden Lights!

Garden Lights Smart is the solution when you want to make your garden smart. With the Smart Life app, you can switch your lights on and off with the click of a button, dim the lights and use the colour wheel to choose from millions of different colours.



Visit our SMART page for more information



**Gateway Smart (Wi-Fi - Zigbee)** (6319451)  
Synthetic - White  
IP 20  
58 x 58 x 15 mm (H x W x D)  
The Gateway translates the Wi-Fi signal to Zigbee. Thus the Gateway provides communication with our Smart luminaires and Motion Sensor Smart.



**Switch Smart (Wi-Fi)** (6298011)  
Synthetic - Black  
75 x 70 x 30 mm (H x W x D)  
Minimal load: 5 W



**Motion Sensor Smart (Zigbee)** (6320451)  
Synthetic - White  
Detection range up to 10 meters  
Detection angle 120 degrees  
Includes 2 AAA Batteries  
70 x 70 x 32 mm (H x W x D)  
Gateway Smart required



**Camera Smart (Wi-Fi)** (6299451)  
Synthetic - White  
IP65  
Consumption 7 watt  
71 x 66 x 188 mm (H x W x D)  
Switch Smart required



**MR16 LED 5W Smart (Zigbee)** (6332011)  
Synthetic - White  
RGB  
5 W / 483,5 Lumen  
48 x 49 x 49 mm (H x W x D)  
Gateway Smart required



**Arco 40 Smart (Zigbee)** (3219011)  
5 W / 94 lumen  
Aluminium - Black  
410 x 65 mm (H x Ø)  
Gateway Smart required



**Gilvus Smart (Zigbee)** (3223011)  
5 W / 280 lumen  
Aluminium - Black  
80 x 70 x 92 mm (H x W x D)  
Gateway Smart required



**Focus Smart (Zigbee)** (3221011)  
5 W / 95 lumen  
Aluminium - Black  
180 x 75 x 150 mm (H x W x D)  
Gateway Smart required



**Arcus Smart (Zigbee)** (3222011)  
5 W / 220 lumen  
Aluminium - Black  
145 x 63 x 105 mm (H x W x D)  
Gateway Smart required



Adjustable reflector

**Rubum Smart (Zigbee)** (3220011)  
5 W / 120 lumen  
Aluminium - Black  
100 x 155 mm (H x Ø)  
Including ground tube  
Drillhole 120 mm  
Gateway Smart required



**Round 30 Smart (Zigbee)** (2615451)  
5 W / 254 lumen  
Polyethylene - White  
Ø 300 mm  
Gateway Smart required



**Round 40 Smart (Zigbee)** (2616451)  
5 W / 242 lumen  
Polyethylene - White  
Ø 400 mm  
Gateway Smart required



**Round 50 Smart (Zigbee)** (2617451)  
5 W / 220 lumen  
Polyethylene - White  
Ø 500 mm  
Gateway Smart required





# Garden Lights

Check out our website & socials  
for more inspiration!



[garden-lights.com](https://garden-lights.com)



8 719979 285197

5144006

05022026